Pride in Parenting DRUG USE ANSWER SHEET 1

Date M	other Enrolled: Today's Date: month date year month date year
A-1.	About how old were you the first time you tried marijuana or hash?
	Age when I used marijuana or hash for the first time Never used marijuana or hash in my life
A-2.	When was the last time you used marijuana or hash?
	Within the past week (7 days)
A-3.	About how often, on average, did you use marijuana or hash during this pregnancy? Daily
	Monthly or less (but at least once)
A-4.	<u>During any part of this pregnancy</u> , did you live in the same house with anyone who smoked marijuana or hash?
	Yes

A-5.	About how old were you the first time you used "crack" cocaine?
	Age when I used "crack" cocaine for the first time _ Never used "crack" cocaine in my life
A-6.	When was the last time you used "crack" cocaine?
	Within the past week (7 days)
A-7.	About how often, on average, did you use "crack" cocaine <u>during this</u> <u>pregnancy</u> ?
	Daily01Almost daily or 3 to 6 days a week021 to 2 days a week03Several times a month04Monthly or less (but at least once)05Did not use "crack" cocaine during this pregnancy91
A-8.	Did you use "crack" cocaine within the 24 hours before your labor contractions started?
	Yes
A-9.	<u>During this pregnancy</u> , did you ever use "crack" cocaine to <u>cause</u> labor to start?
	Yes
A-10.	<u>During any part of this pregnancy</u> , did you live in the same house with anyone who smoked "crack" cocaine?
	Yes

A-11.	About how old were you the first time you tried cocaine other than crack?
	Age when I tried cocaine other than crack for the first time _ Never tried other forms of cocaine in my life
A-12.	When was the <u>last time</u> you used cocaine other than crack?
	Within the past week (7 days)
A-13.	About how often, on average, did you use cocaine other than "crack" <u>during</u> <u>this pregnancy</u> ?
	Daily01Almost daily or 3 to 6 days a week021 to 2 days a week03Several times a month04Monthly or less (but at least once)05Did not use cocaine other than "crack"91
A-14.	Did you use cocaine other than crack within the 24 hours before your labor contractions started?
	Yes
A-15.	<u>During this pregnancy</u> , did you ever use cocaine other than "crack" to <u>cause</u> labor to start?
	Yes

A-16.	About how old were you the first time you used heroin?
	Age when I used heroin for the first time _ Never used heroin in my life
A-17.	When was the <u>last time</u> you used heroin?
	Within the past week (7 days)
A-18.	About how often, on average, did you use heroin during this pregnancy?
	Daily01Almost daily or 3 to 6 days a week021 to 2 days a week03Several times a month04Monthly or less (but at least once)05Did not use heroin during this pregnancy91
A-19.	Did you ever smoke heroin during this pregnancy?
	Yes
A-20.	<u>During this pregnancy</u> , which of these other drugs, if any, did you use? (CIRCLE ALL THAT APPLY)
	Inhalants (Glue, Amyl Nitrite, Poppers, Aerosol Sprays) 01 Hallucinogens (LSD, PCP, Peyote, Mescaline, Ecstasy) 02 Methadone obtained as part of a treatment program 03 Methadone obtained from another source

A-21.	About how old were you the first time you took a stimulant for nonmedical reasons?
	Age when I first used a stimulant for a non-medical reason Never used a stimulant for a non-medical reason in my life 91
A-22.	When was the <u>last time</u> you took any stimulant for nonmedical reasons?
	Within the past week (7 days)
A-23.	Did you take any stimulant for nonmedical reasons during this pregnancy
	Yes

A-24.	About how old were you the first time you took a sedative, tranquilizer, or analgesic for nonmedical reasons?
	Age when I first used a sedative, tranquilizer, or analgesic for a nonmedical reason
A-25.	When was the <u>last time</u> you took a sedative, tranquilizer, or analgesic for nonmedical reasons?
	Within the past week (7 days)
A-26.	Did you take a sedative, tranquilizer, or analgesic for nonmedical reasons during this pregnancy?
	Yes

B-1. During this pregnancy, which of these drugs, if any, did you use at the same time or within a couple of hours of when you drank beer, wine, or liquor? (CIRCLE ALL THAT APPLY) Inhalants (Glue, Amyl Nitrite, Poppers, Aerosol Sprays) 04 Hallucinogens (LSD, PCP, Peyote, Mescaline, Ecstasy) 07 Other Stimulants (Amphetamines, Forms of Methamphetamine other Sedatives (Barbiturates, Sleeping Pills, Tranquilizers (Librium, Valium, Benzodiazepine) 12 Analgesics (Darvon, Demerol, Talwin, Talacen) 13 Other (SPECIFY): _____ 14 Methadone obtained as part of a treatment program 15 Did not use drugs with alcohol during this pregnancy 91 B-2. Have you ever used a needle to get any drug injected under your skin, into a muscle, or into a vein for nonmedical reasons?

B-3.	When was the <u>last time</u> you took any drug with a needle for nonmedical reasons?
	Within the past week (7 days)
B-4.	Did you take any drug with a needle for nonmedical reasons <u>during this</u> <u>pregnancy</u> ?
	Yes
B-5.	How much do you think women risk harming the fetus or themselves physically or in other ways for each of the following activities? (CIRCLE ONE NUMBER ON EACH LINE). No Slight Moderate Great
B-5a. B-5b. B-5c. B-5d.	Risk Risk Risk Risk Smoking marijuana during pregnancy

C-1.	How many times in your life have you been treated for problems related to your alcohol or drug use?
	Number of times you have been treated for alcohol or drug problems
C-2.	Think of the <u>last time</u> you received treatment or counseling. Was this treatment or counseling for alcohol problems or drug problems?
	Alcohol problems
C-3.	Did you ever apply or ask for treatment or counseling for drug or alcohol problems during this pregnancy?
	Yes
C-4.	Did you receive treatment or counseling (related to your alcohol/drug use) during this pregnancy?
	Yes